

Version number 1

Printing date 01.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

[·] Trade name: CLEARFIL Universal Bond Quick 2

- Article number: 255
- **Registration number** Not applicable
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.

· Application of the substance / the mixture Dental materials

· 1.3 Details of the supplier of the safety data sheet

· Supplier :

Kuraray Europe GmbH Philipp-Reis-Str. 4, 65795 Hattersheim am Main Germany Phone: +49 (0)69 305 35 835

E-mail: dental.eu@kuraray.com • Further information obtainable from: Supplier

· 1.4 Emergency telephone number:

[United Kingdom] Only for NHS and other healthcare professionals; UK National Poisons Information Service (NPIS): +44 (0)344 892 0111 Ireland NPIC: +353 (0)1 809 2566

For members of Public; NHS 111 in England: 111, NHS 24 in Scotland: 111, NHS Direct in Wales: 111 or 0845 4647, Ireland NPIC: +353 (0)1 809 2166(8 am to 10 pm)

3E Company; (Great Britain)+44 20 35147487 (United Kingdom)800 680 0425 (UK English)+44 8 08 189 0979 (Europe Non-Specific)+1 760 476 3962 *Kuraray Access Code: 334674

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

Skin Sens. 1 H317 May cause an allergic skin reaction.

• Additional information

Medical devices as defined in Regulation (EU) 2017/745 and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of Regulation (EC) No 1272/2008 (GB CLP/ GHS) usually if they are in the finished state and intended for the final user.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



· Signal word Warning

· Hazard-determining components of labelling:

2-hydroxyethyl methacrylate

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

· Hazard statements

H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction.

- · Precautionary statements
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P233 Keep container tightly closed.

(Contd. on page 2)



Safety data sheet according to UK REACH

Printing date 01.10.2024

Version number 1

Revision date: 01.10.2024

Trade name: CLEARFIL Universal Bond Quick 2

	(Contd. of page 1)
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P242	Use non-sparking tools.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· 2.3 Other hazard	s

2.5 Other nazarus

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

Dangerous components.	
CAS: 64-17-5 ethanol	10 - 25%
EINECS: 200-578-6 🚸 Flam. Liq. 2, H225	
CAS: 868-77-9 2-hydroxyethyl methacrylate	5 - 15%
EINECS: 212-782-2 🚯 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 162881-26-7 phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	< 1%
ELINCS: 423-340-5 🚯 Skin Sens. 1A, H317; Aquatic Chronic 4, H413	
· Additional information: Silicon oxide: Nanoform Amorphous silica, particle size 1 - 100 nm	

Additional information: Silicon oxide; Nanoform, Amorphous silica, particle size 1 - 100 nm

SECTION 4: First aid measures

\cdot 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

\cdot 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 \cdot 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

[•] 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

GB

(Contd. of page 2)



Safety data sheet according to UK REACH

Printing date 01.10.2024

Version number 1

Revision date: 01.10.2024

Trade name: CLEARFIL Universal Bond Quick 2

• 5.3 Advice for firefighters

• Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

- See Section 8.
- 6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways.

Vacuum or sweep material and place in a disposal container. Provide ventilation.

Use appropriate Personal Protective Equipment (PPE).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with skin and eyes. Do not swallow. Avoid generating dust. Do not breathe dust/fume/gas/mist/vapors/spray.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location (2-25°C).

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed.

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed receptacles.

•7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

(Contd. on page 4)

GB



Printing date 01.10.2024

Version number 1

Revision date: 01.10.2024

Trade name: CLEARFIL Universal Bond Quick 2

(Contd. of page 3)

- · Personal protective equipment:
- General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Respiratory protection: Suitable respiratory protective device recommended.
- · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical pr	roperties
· Physical state	Liquid
· Colour:	Yellow
· Odour:	Alcohol-like
· Melting point/freezing point:	Not determined.
· Boiling point or initial boiling point and boiling	
range	78 °C (64-17-5 ethanol)
· Flammability	Flammable.
Lower and upper explosion limit	
· Lower:	3.5 Vol % (64-17-5 ethanol)
· Upper:	15 Vol % (64-17-5 ethanol)
· Flash point:	35 °C
· Auto-ignition temperature:	256 °C (Hydrophilic amide monomer)
· Decomposition temperature:	Not applicable.
· pH at 20 °C	2.4 ± 0.4
· Kinematic viscosity	Not determined.
· Solubility	
· water:	Partly miscible.
 Partition coefficient n-octanol/water (log value) 	Not applicable.
· Vapour pressure at 20 °C:	59 hPa (64-17-5 ethanol)
· Density at 20 °C:	1.1 g/cm^3
· Relative vapour density	Not determined.
	(Contd.



Version number 1

Printing date 01.10.2024

Revision date: 01.10.2024

Trade name: CLEARFIL Universal Bond Quick 2

	(Contd. of page
Particle characteristics	See Section 3.
9.2 Other information	
Information with regard to physical hazard	classes
Explosives	Product does not present an explosion hazard.
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamma	able
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

• 10.2 Chemical stability No hazardous reaction when handled and stored according to provisions.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

868-77-9 2-hydroxyethyl methacrylate

	-	-	-	-	
Oral	LD50	4,680	mg/kg	(guinea	pig)

	3,275	mg/kg	(mouse)
--	-------	-------	---------

5,050 mg/kg (rat)

Dermal LD50 5,000 mg/kg (rabbit)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

 \cdot STOT-single exposure Based on available data, the classification criteria are not met.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)



Safety data sheet according to UK REACH

Printing date 01.10.2024

Version number 1

Revision date: 01.10.2024

(Contd. of page 5)

Trade name: CLEARFIL Universal Bond Quick 2

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- \cdot 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation: Dispose of packaging according to regulations on the disposal of packagings.

14.1 UN number or ID number	
ADR, IMDG, IATA	UN1993
14.2 UN proper shipping name	
ADR	1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL
	(ETHYL ALCOHOL))
IMDG	FLAMMABLE LIQUID, N.O.S. (ETHANOL
	(ETHYL ALCOHOL))
IATA	FLAMMABLE LIQUID, N.O.S. (ETHANOL)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR, IMDĞ, IATA	III



Printing date 01.10.2024

Version number 1

Revision date: 01.10.2024

Trade name: CLEARFIL Universal Bond Quick 2

	(Contd. of page
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	30
EMS Number:	F-E,S-D
Stowage Category	А
14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S.
-	(ETHANOL (ETHYL ALCOHOL)), 3, III

SECTION 15: Regulatory information

· Regulated explosives precursors

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None of the ingredients is listed. · Regulated poisons None of the ingredients is listed. · Reportable explosives precursors None of the ingredients is listed. · Reportable poisons None of the ingredients is listed. • Directive 94/33/EC: Care should be taken when people under 18 handle this product. · Directive 94/85/EEC: No further relevant information available. · Named dangerous substances - ANNEX I None of the ingredient is listed. · Seveso category P5c FLAMMABLE LIQUIDS • Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t • Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t · Regulation (EU) No 649/2012 None of the ingredients is listed. · Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed. Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed.

(Contd. on page 8)

GB -



Safety data sheet according to UK REACH

Printing date 01.10.2024

Version number 1

Revision date: 01.10.2024

Trade name: CLEARFIL Universal Bond Quick 2

(Contd. of page 7)

• Regulation (EC) No 1005/2009 on substances that deplete the ozone layer – ANNEX I (Ozone-depleting potential)

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Relevant phrases

H225 Highly flammable liquid and vapour.

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.

H413 May cause long lasting harmful effects to aquatic life.

· Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Abbreviations and acronyms:
ELINCS: European List of Notified Chemical Substances
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

GB -